



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## SAN DIEGO QUARANTINE.

*Week ended February 12, 1896.*

Two vessels inspected and passed.

## SOUTH ATLANTIC QUARANTINE.

*Week ended February 8, 1896.*

Six vessels inspected and passed.

## SOUTHPORT QUARANTINE.

*Week ended February 15, 1896.*

Two vessels inspected and passed.

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Fresno*.—Month of January, 1896. Estimated population, 10,000. Total deaths, 13, including 1 from phthisis pulmonalis.

*Los Angeles*.—Month of January, 1896. Estimated population, 100,000. Total deaths, 126, including phthisis pulmonalis, 10; enteric fever, 4; scarlet fever, 1; diphtheria, 3; measles, 4; and croup, 1.

*Oakland*.—Month of January, 1896. Estimated population, 60,000. Total deaths, 47, including phthisis pulmonalis, 8; enteric fever, 1; and diphtheria, 2.

*Sacramento*.—Month of January, 1896. Estimated population, 30,000. Total deaths, 46, including 7 from phthisis pulmonalis.

*San Francisco*.—Month of January, 1896. Estimated population, 330,000. Total deaths, 493, including phthisis pulmonalis, 97; enteric fever, 10; scarlet fever, 1; diphtheria, 2; and croup, 2.

CONNECTICUT.—Month of January, 1896. Reports to the State board of health from 167 towns, having an aggregate population of 815,940, show a total of 1,121 deaths, including phthisis pulmonalis, 109; enteric fever, 14; scarlet fever, 7; diphtheria and croup, 35; and whooping cough, 1.

ILLINOIS—*Chicago*.—Month of January, 1896. Estimated population, 1,600,000. Total deaths, 2,013, including phthisis pulmonalis, 196; enteric fever, 87; scarlet fever, 8; diphtheria, 118; measles, 8; and whooping cough, 8.

IOWA—*Des Moines*.—Month of January, 1896. Estimated population, 82,600. Total deaths, 62, including phthisis pulmonalis, 4; enteric fever, 1; diphtheria, 1; and whooping cough, 1.

KENTUCKY—*Louisville*.—Month of January, 1896. Estimated population, 205,000. Total deaths, 224, including phthisis pulmonalis, 26; enteric fever, 5; diphtheria, 3; croup, 2; and whooping cough, 2.

MASSACHUSETTS—*Brockton*.—Month of January, 1896. Estimated population, 33,165. Total deaths, 30, including phthisis pulmonalis, 6; enteric fever, 1; and croup, 2.

*Malden*.—Month of January, 1896. Estimated population, 30,000. Total deaths, 51, including 9 from phthisis pulmonalis.

*Northampton*.—Month of January, 1896. Estimated population, 16,400. Total deaths, 17. No deaths from contagious diseases.

MICHIGAN.—Week ended February 8, 1896. Reports to the State board of health from 51 observers indicate that no disease was noticeably more or less than usually prevalent. Phthisis pulmonalis was present during the week at 243 places, scarlet fever at 35, diphtheria at 30, enteric fever at 24, whooping cough at 17, measles at 16, and small-pox at 3 places—Detroit, Saginaw, and Riga Township.

MINNESOTA—*Minneapolis*.—Month of January, 1896. Estimated population, 192,833. Total deaths, 179, including phthisis pulmonalis, 18; enteric fever, 6; scarlet fever, 1; diphtheria, 14; measles, 9; and whooping cough, 6.

*St. Paul*.—Month of January, 1896. Estimated population, 140,292. Total deaths, 109, including phthisis pulmonalis, 11; enteric fever, 7; scarlet fever, 1; diphtheria, 7; and croup, 5.

MONTANA—*Butte*.—Month of January, 1896. Estimated population, 40,000. Total deaths, 45, including enteric fever, 3; and diphtheria, 1.

MISSOURI—*St. Louis*.—Month of January, 1896. Estimated population, 570,000. Total deaths, 794, including phthisis pulmonalis, 86; enteric fever, 4; scarlet fever, 3; diphtheria, 47; measles, 1; croup, 20; and whooping cough, 2.

NEBRASKA—*Omaha*.—Month of December, 1895. Estimated population, 140,452. Total deaths, 89, including phthisis pulmonalis, 5; enteric fever, 4; scarlet fever, 2; diphtheria and croup, 6; and whooping cough, 2.

Month of January, 1896. Total deaths, 76, including phthisis pulmonalis, 9; enteric fever, 2; and diphtheria and croup, 7.

NEW YORK—*Buffalo*.—Month of January, 1896. Estimated population, 335,709. Total deaths, 327, including phthisis pulmonalis, 38; enteric fever, 5; diphtheria, 16; and croup, 20.

*New Brighton*.—Month of January, 1896. Estimated population, 18,000. Total deaths, 41, including phthisis pulmonalis, 4, and diphtheria, 1.

OHIO—*Cleveland*.—Month of January, 1896. Estimated population, 330,279. Total deaths, 351, including phthisis pulmonalis, 44; enteric fever, 5; diphtheria, 10; croup, 8; and whooping cough, 1.

*Dayton*.—Estimated population, 85,000. Total deaths, 99, including phthisis pulmonalis, 18; enteric fever, 2; diphtheria, 2; and croup, 1.

PENNSYLVANIA—*Pottsville*.—Two weeks ended February 11, 1896. Population, 14,117. Total deaths, 15, including 1 from diphtheria.

RHODE ISLAND—*Newport*.—Month of January, 1896. Estimated population, 21,557. Total deaths, 27, including phthisis pulmonalis, 3, and diphtheria, 1.

TENNESSEE—*Nashville*.—Month of January, 1896. Estimated population, white, 54,595; colored, 33,159; total, 87,754. Deaths, white, 56; colored, 78; total, 134, including phthisis pulmonalis, 25; enteric fever, 1; and scarlet fever, 1.

UTAH—*Salt Lake City*.—Month of January, 1896. Estimated popu-

lation, 70,000. Total deaths, 37, including phthisis pulmonalis, 2, and scarlet fever, 2.

WISCONSIN—*Milwaukee*.—Month of January, 1896. Estimated population, 255,000. Total deaths, 308, including phthisis pulmonalis, 26; enteric fever, 6; diphtheria, 21; and croup, 7.

PUBLICATIONS RECEIVED.

On the Conditions under which Leprosy has declined in Iceland and the Extent of its former and present Prevalence. Edward Ehlers, M. D., Copenhagen. 1895.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Varicoid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Allegheny, Pa.....	Feb. 15.....	105,287	52	7						3		1	3
Ashtabula, Ohio.....	do.....	8,338	1										
Auburn, N. Y.....	Feb. 8.....	25,858	13	3									
Baltimore, Md.....	Feb. 16.....	434,439	194	18						3	1	4	3
Belleville, Ill.....	Feb. 8.....	15,361	9							2		4	
Beverly, Mass.....	do.....	10,821	3										
Do.....	Feb. 15.....	10,821	4									1	
Binghamton, N. Y.....	do.....	35,005	11										
Boston, Mass.....	do.....	448,477	207	24						4	4	12	
Braddock, Pa.....	do.....	8,561	5										
Bridgeport, Conn.....	do.....	48,866	17	3								1	
Bristol, Conn.....	Feb. 8.....	7,382	2										
Bristol, R. I.....	do.....	5,478	2										
Brockton, Mass.....	do.....	27,294	11	5									
Brookline, Mass.....	do.....	12,103	6										
Brooklyn, N. Y.....	Feb. 15.....	806,343	429	47						2	4	38	10
Bucyrus, Ohio.....	Feb. 8.....	5,974	2										
Burlington, Vt.....	do.....	14,590	7								1		
Butler, Pa.....	Feb. 15.....	8,734	2										
Cambridge, Mass.....	do.....	70,028	31	7								1	1
Carlisle, Pa.....	do.....	7,620	6										
Charleston, S. C.....	Feb. 8.....	*54,955	†30	2						3		1	
Chicago, Ill.....	do.....	1,099,850	458	52						21	1	20	2
Cincinnati, Ohio.....	Feb. 14.....	296,908	148	14						6		4	5
Cleveland, Ohio.....	Feb. 8.....	261,353	82	10						2		3	
Do.....	Feb. 15.....	261,353	75	7						5	1	2	1
Cortland, N. Y.....	Feb. 8.....	8,590	2										
Council Bluffs, Iowa.....	do.....	21,474	6	1								1	
Dayton, Ohio.....	Feb. 13.....	61,220	19	2								2	
Detroit, Mich.....	Feb. 15.....	205,876	93	3		1					1		
Elizabeth, N. J.....	do.....	37,764										1	
El Paso, Tex.....	Feb. 8.....	10,338	5	1								1	
Emporia, Kans.....	Feb. 15.....	7,551	0										
Everett, Mass.....	Feb. 8.....	11,068	5										
Do.....	Feb. 15.....	11,068	6										
Fall River, Mass.....	do.....	74,398	37							1	1		
Flint, Mich.....	Feb. 8.....	9,803								1			
Do.....	Feb. 15.....	9,803	6										
Fort Worth, Tex.....	Feb. 8.....	23,076	6							1			
Haverhill, Mass.....	Feb. 15.....	27,412	10	1						1		2	
Houston, Tex.....	do.....	27,557	12	3						1			
Ironton, Ohio.....	do.....	10,939	1										
Jacksonville, Fla.....	Feb. 8.....	17,201	8										
Do.....	Feb. 15.....	17,201	6	1									
Jamestown, N. Y.....	Feb. 8.....	16,038	4										
Jersey City, N. J.....	Feb. 9.....	163,003	88	12						8	1	8	3
Johnstown, Pa.....	Feb. 15.....	21,805	5										
Kalamazoo, Mich.....	Feb. 8.....	17,853	5									2	
Lawrence, Mass.....	do.....	44,654	26										
Lebanon, Pa.....	do.....	14,664	3	1									1

\* Estimated population, white, 28,870; colored, 36,295. Total, 65,165. † White, 10; colored, 20.